



Air Source Treatment Unit


E·MC always controls very strictly every detail in all steps of the processing, from mould making to die-casting technique, from high precision matching to orderly assembling, from intelligent test control to overall quality control. High quality with elegant appearance makes it very dependable to choose E·MC FRLs.





EI Series Air Source Treatment Unit

How to Order?



- * Working Press.: 0.5–10Bar
- * Max. Press.: 15Bar
- * Working Temp.: 5–80°C
- * Filter Precision: 25 μ (5 μ is optional)

New



Model no.	EP6H-02
Working medium	Air
Max pressure	0.7Mpa
Set pressure range(off)	0.1–0.4Mpa
Leagging	0.08Mpa
Working temperature	–5–80° C

Order example:

- * EI series,F+R+L,3000 Body Size, Port Size: 3/8",Manual Drain Type,Model: EIC3000-03
- * EI series,F.R+L,3000 Body Size, Port Size: 3/8",Auto Drain Type,Model: EIC3010-03D
- * EI series,F+R,3000 Body Size, Port Size: 3/8",Manual Drain Type,Model: EIW3000-03
- * EI series,Filter,3000 Body Size, Port Size: 3/8",Auto Drain Type,Model: EIF3000-03D
- * EI series,Lubricator,3000 Body Size, Port Size: 3/8",Model: EIL3000-03
- * EI series,Regulator,3000 Body Size, Port Size: 3/8",Model: EIR3000-03



Model:
EIC2000-01 EIC2000-02



Model:
EIC3000-02 EIC3000-03
EIC4000-03 EIC4000-04
EIC5000-06 EIC5000-10



Model:
EIC2010-01 EIC2010-02



Model:
EIC3010-02 EIC3010-03
EIC4010-03 EIC4010-04
EIC5010-06 EIC5010-10



Model:
EIW2000-01 EIW2000-02



Model:
EIW3000-02 EIW3000-03
EIW4000-03 EIW4000-04
EIW5000-06 EIW5000-10



Model:
EIL2000-01 EIL2000-02



Model:
EIL3000-02 EIL3000-03
EIL4000-03 EIL4000-04
EIL5000-06 EIL5000-10



Model:
EIF2000-01 EIF2000-02



Model:
EIF3000-02 EIF3000-03
EIF4000-03 EIF4000-04
EIF5000-06 EIF5000-10




Model:
EIR2000-01 EIR2000-02
EIR3000-02 EIR3000-03
EIR4000-03 EIR4000-04
EIR5000-06 EIR5000-10



FE Series Air Source Treatment Unit

How to Order?



Order example:

- * FE series, F+R+L, M5 Connection size, Metal design, 5 μm precision, MICRO type with semi autodrain, Model: FEC-M5-D-5M-MICRO-H
- * FE series, Regulator, G1/8* Connection size, Metal design, MINI type, Model: FER-1/8-D-MINI
- * FE series, Lubricator, G1/4* Connection size, Metal design, MINI type, Model: FEL-1/4-D-MINI



Model:

FEC-1/8-D-MINI
 FEC-1/4-D-MINI
 FEC-3/8-D-MINI
 FEC-1/4-D-MIDI
 FEC-3/8-D-MIDI
 FEC-1/2-D-MIDI
 FEC-3/4-D-MIDI
 FEC-1/2-D-MAXI
 FEC-3/4-D-MAXI
 FEC-1-D-MAXI



Model:

FEW-1/8-D-MINI
 FEW-1/4-D-MINI
 FEW-3/8-D-MINI
 FEW-1/4-D-MIDI
 FEW-3/8-D-MIDI
 FEW-1/2-D-MIDI
 FEW-3/4-D-MIDI
 FEW-1/2-D-MAXI
 FEW-3/4-D-MAXI
 FEW-1-D-MAXI



Model:

FER-1/8-D-MINI
 FER-1/4-D-MINI
 FER-3/8-D-MINI
 FER-1/4-D-MIDI
 FER-3/8-D-MIDI
 FER-1/2-D-MIDI
 FER-3/4-D-MIDI
 FER-1/2-D-MAXI
 FER-3/4-D-MAXI
 FER-1-D-MAXI



Model:

FEL-1/8-D-MINI
 FEL-1/4-D-MINI
 FEL-3/8-D-MINI
 FEL-1/4-D-MIDI
 FEL-3/8-D-MIDI
 FEL-1/2-D-MIDI
 FEL-3/4-D-MIDI
 FEL-1/2-D-MAXI
 FEL-3/4-D-MAXI
 FEL-1-D-MAXI



Model:

FEF-1/8-D-MINI
 FEF-1/4-D-MINI
 FEF-3/8-D-MINI
 FEF-1/4-D-MIDI
 FEF-3/8-D-MIDI
 FEF-1/2-D-MIDI
 FEF-3/4-D-MIDI
 FEF-1/2-D-MAXI
 FEF-3/4-D-MAXI
 FEF-1-D-MAXI



How to Order?

FTYH Series High Pressure Regulator

FTYH

FTYH Series High Pressure Regulator

Port size:
 08: G1/4 10: G3/8
 15: G1/2 20: G3/4
 25: G1



Model:

FTYH-08 FTYH-10
 FTYH-15 FTYH-20
 FTYH-25

FRH Series High Pressure Filter & Regulator

FRH

FRH Series High Pressure Regulator

Port size:
 08: G1/4 10: G3/8
 15: G1/2 20: G3/4
 25: G1



Model:

FRH-08 FRH-10
 FRH-15 FRH-20
 FRH-25

FSLH Series High Pressure Filter

FSLH

FSLH Series High Pressure Regulator

Port size:
 08: G1/4 10: G3/8
 15: G1/2 20: G3/4
 25: G1



Model:

FSLH-08 FSLH-10
 FSLH-15 FSLH-20
 FSLH-25



E Series Air Source Treatment Unit



How to Order?

E -- **C** -- **30** -- **00** -- **03** --

E Series
C: Filter+Regulator+Lubricator
W: F+R
F: Filter
L: Lubricator
R: Regulator

00: Three Units (F+R+L)
10: Two Units (F+R+L)

10: 1000 Body Size
20: 2000 Body Size
30: 3000 Body Size
40: 4000 Body Size
50: 5000 Body Size

Port Size
M5: M5
01: 1/8"
02: 1/4"
03: 3/8"
04: 1/2"
06: 3/4"
10: 1"

Blank: Manual Drain Type
D: Auto Drain Type
 Available Only For 2000 or Above

- * Working Press.: 0.5–10Bar
- * Max. Press.: 15Bar
- * Working Temp.: 5–60°C
- * Filter Precision: 25 μ (5 μ is optional)



Model no.	EP5H-02
Working medium	Air
Max pressure	0.7Mpa
Set pressure range(off)	0.1–0.4Mpa
Leaking	0.08Mpa
Working temperature	-5–60° C

- Order example:**
- * E series, F+R+L, 3000 Body Size, Port Size: 3/8", Manual Drain Type, Model: EC3000-03
 - * E series, F+R+L, 3000 Body Size, Port Size: 3/8", Auto Drain Type, Model: EC3000-03D
 - * E series, F+R, 3000 Body Size, Port Size: 3/8", Manual Drain Type, Model: EW3000-03
 - * E series, Filter, 3000 Body Size, Port Size: 3/8", Auto Drain Type, Model: EF3000-03D
 - * E series, Lubricator, 3000 Body Size, Port Size: 3/8", Model: EL3000-03
 - * E series, Regulator, 3000 Body Size, Port Size: 3/8", Model: ER3000-03

<p>Model: EC1000-M5 EC2000-01 EC2000-02</p>	<p>Model: EC2500-02 EC2500-03 EC3000-02 EC3000-03 EC4000-03 EC4000-04 EC4000-06</p>	<p>Model: EC5000-08 EC5000-10</p>
<p>Model: EC1010-M5 EC2010-01 EC2010-02</p>	<p>Model: EC3010-02 EC3010-03 EC4010-03 EC4010-04 EC4010-06</p>	<p>Model: EC5010-06 EC5010-10</p>
<p>Model: EW1000-M5 EW2000-01 EW2000-02</p>	<p>Model: EW3000-02 EW3000-03 EW4000-03 EW4000-04 EW4000-06</p>	<p>Model: EW5000-06 EW5000-10</p>
<p>Model: EL1000-M5 EL2000-01 EL2000-02</p>	<p>Model: EL3000-02 EL3000-03 EL4000-03 EL4000-04 EL4000-06</p>	<p>Model: EL5000-06 EL5000-10</p>
<p>Model: ER1000-M5 ER2000-01 ER2000-02 ER2500-02 ER2500-03 ER3000-02 ER3000-03 ER4000-03 ER4000-04 ER4000-06 ER5000-06 ER5000-10</p>	<p>Model: ER3000-02 ER3000-03 ER4000-03 ER4000-04 ER4000-06</p>	<p>Model: ER5000-06 ER5000-10</p>
<p>Model: EF1000-M5 EF2000-01 EF2000-02</p>	<p>Model: EF3000-02 EF3000-03 EF4000-03 EF4000-04 EF4000-06</p>	<p>Model: EF3000-02D EF3000-03D EF4000-03D EF4000-04D EF4000-06D</p>
<p>Model: EF5000-06 EF5000-10</p>		



Bracket



T-Type Spacer



Model	Applicable Model
Y21-01/Y21-02	EC2000
Y31-01/Y31-02	EC3000
Y41-02/Y41-03	EC4000
Y61-03/Y61-04	EC5000

Spacer with L-Type Bracket



Model	Applicable Model
Y10L	EC1000
Y20L	EC2000
Y30L	EC2500/3000
Y40L	EC4000
Y50L	EC4000-06
Y60L	EC5000

L-Type Bracket



Model	Applicable Model
B110L	EC1000
B210L	EC2000
B310L	EC2500/3000
B410L	EC4000
B510L	EC4000-06
B610L	EC5000

Spacer with T-Type Bracket



Model	Applicable Model
Y10T	EC1010
Y20T	EC2010
Y30T	EC3010
Y40T	EC4010
Y50T	EC4010-06
Y60T	EC5010

T-Type Bracket



Model	Applicable Model
B110T	EC1010
B210T	EC2010
B310T	EC2510/3010
B410T	EC4010
B510T	EC4010-06
B610T	EC5010

20-Type Bracket



Model	Applicable Model
B120	ER1000 EW1000
B220	ER2000/2500 EW2000/2500
B320	ER3000 EW3000
B420	ER4000/5000 EW4000/5000

40-Type Bracket



Model	Applicable Model
B240	EF2000 EL2000
B340	EF3000 EL3000
B440	EF4000 EL4000
B540	EF4000-06 EL4000-06
B640	EF5000 EL5000

Auto Drain



Model
HAD402 1/2"



Auto Drain
HED402-02
HED402-03
HED402-04



Auto Drain Element
ZDFS-06
ZDFS-08



High Precision Regulator
EHP3000-02
EHP3000-03

New



Big size regulator
QTY-06
QTY-08
QTY-10
QTY-15
QTY-20
QTY-25
QTY-40



Big size filter
QSL-06
QSL-08
QSL-10
QSL-15
QSL-20
QSL-25
QSL-40




Big size lubricator
QIU-06
QIU-08
QIU-10
QIU-15
QIU-20
QIU-25
QIU-40



AE/BE Series Air Source Treatment Unit

How to Order?



- * Working Press.: 0.5–10Bar
- * Max. Press.: 15Bar
- * Working Temp.: 5–60°C
- * Filter Precision: 40 μ (25 μ, 5 μ is optional)

Order example:

* AE series, filter+regulator+lubricator, port size: 1/4", model: AEC2000



Model:
AEC2000 400L/min



Model:
BEC2000 3500L/min
BEC3000 3500L/min
BEC4000 3500L/min



Model:
AEFC2000 400L/min



Model:
BEFC2000 2500L/min
BEFC3000 2500L/min
BEFC4000 2500L/min



Model:
AEFR2000 500L/min



Model:
BEFR2000 3000L/min
BEFR3000 3000L/min
BEFR4000 3000L/min



Model:
AEF2000 700L/min



Model:
BEF2000 3500L/min
BEF3000 3500L/min
BEF4000 3500L/min



Model:
AEL2000 700L/min



Model:
BEL2000 4500L/min
BEL3000 4500L/min
BEL4000 4500L/min



Model:
AER2000 500L/min
BER2000 4500L/min
BER3000 4500L/min
BER4000 4500L/min



EA/E804/EN Series Air Source Treatment Unit / Muffler




EA Series Air Source Treatment Unit

* Working Pressure: 0.5-17Bar

 <p>High Pressure 250 PSI</p>	<p>Model: EAF3000-02</p>		<p>Model: EAL3000-02</p>		<p>Model: EAFC3000-02</p>
---	--------------------------	---	--------------------------	---	---------------------------

E804 Series Air Source Treatment Unit

* Working Pressure: 0.5-8Bar

	<p>Model: EL804-02 EL804-03 EL804-04</p>		<p>Model: EFR804-02 EFR804-03 EFR804-04</p>		<p>Model: EFR804-02 EFR804-03 EFR804-04</p>
--	--	--	---	---	---







EN Series Air Source Treatment Unit

* Working Pressure: 0.5-8Bar

	<p>Model: ENFC2000-02</p>		<p>Model: ENW2000-02</p>		<p>Model: ENF2000-02</p>		<p>Model: ENR2000-02</p>		<p>Model: ENL2000-02</p>
---	---------------------------	---	--------------------------	---	--------------------------	---	--------------------------	---	--------------------------

Muffler

* Working Pressure: 0-10Bar

 <p>A Type Muffler</p>	<table border="1"> <thead> <tr> <th>Model</th> <th>Thread Size</th> <th>S</th> </tr> </thead> <tbody> <tr><td>A-M5</td><td>M5</td><td>9</td></tr> <tr><td>A-6A</td><td>1/8"</td><td>13</td></tr> <tr><td>A-8A</td><td>1/4"</td><td>17</td></tr> <tr><td>A-10A</td><td>3/8"</td><td>22</td></tr> <tr><td>A-15A</td><td>1/2"</td><td>24</td></tr> <tr><td>A-20A</td><td>3/4"</td><td>30</td></tr> <tr><td>A-25A</td><td>1"</td><td>38</td></tr> <tr><td>A-32A</td><td>1 1/4"</td><td>46</td></tr> <tr><td>A-40A</td><td>1 1/2"</td><td>52</td></tr> <tr><td>A-50A</td><td>2"</td><td>64</td></tr> </tbody> </table>	Model	Thread Size	S	A-M5	M5	9	A-6A	1/8"	13	A-8A	1/4"	17	A-10A	3/8"	22	A-15A	1/2"	24	A-20A	3/4"	30	A-25A	1"	38	A-32A	1 1/4"	46	A-40A	1 1/2"	52	A-50A	2"	64	 <p>AS Type Muffler Steel with Nickle</p>	<table border="1"> <thead> <tr> <th>Model</th> <th>Thread Size</th> <th>S</th> </tr> </thead> <tbody> <tr><td>AS-2.5</td><td>10-32UNF</td><td>8</td></tr> <tr><td>AS-6</td><td>1/8"</td><td>11</td></tr> <tr><td>AS-8</td><td>1/4"</td><td>14</td></tr> <tr><td>AS-10</td><td>3/8"</td><td>17</td></tr> <tr><td>AS-15</td><td>1/2"</td><td>22</td></tr> <tr><td>AS-20</td><td>3/4"</td><td>27</td></tr> <tr><td>AS-25</td><td>1"</td><td>34</td></tr> <tr><td>AS-32</td><td>1-1/4"</td><td>43</td></tr> <tr><td>AS-40</td><td>1-1/2"</td><td>51</td></tr> </tbody> </table>	Model	Thread Size	S	AS-2.5	10-32UNF	8	AS-6	1/8"	11	AS-8	1/4"	14	AS-10	3/8"	17	AS-15	1/2"	22	AS-20	3/4"	27	AS-25	1"	34	AS-32	1-1/4"	43	AS-40	1-1/2"	51	 <p>AAS Type S.S muffler</p>	<table border="1"> <thead> <tr> <th>Model</th> <th>Thread Size</th> <th>S</th> </tr> </thead> <tbody> <tr><td>AAS-M5</td><td>M5</td><td>8</td></tr> <tr><td>AAS-6</td><td>1/8"</td><td>12</td></tr> <tr><td>AAS-8</td><td>1/4"</td><td>15</td></tr> <tr><td>AAS-10</td><td>3/8"</td><td>19</td></tr> <tr><td>AAS-15</td><td>1/2"</td><td>23</td></tr> <tr><td>AAS-20</td><td>3/4"</td><td>30</td></tr> <tr><td>AAS-25</td><td>1"</td><td>36</td></tr> </tbody> </table>	Model	Thread Size	S	AAS-M5	M5	8	AAS-6	1/8"	12	AAS-8	1/4"	15	AAS-10	3/8"	19	AAS-15	1/2"	23	AAS-20	3/4"	30	AAS-25	1"	36
Model	Thread Size	S																																																																																										
A-M5	M5	9																																																																																										
A-6A	1/8"	13																																																																																										
A-8A	1/4"	17																																																																																										
A-10A	3/8"	22																																																																																										
A-15A	1/2"	24																																																																																										
A-20A	3/4"	30																																																																																										
A-25A	1"	38																																																																																										
A-32A	1 1/4"	46																																																																																										
A-40A	1 1/2"	52																																																																																										
A-50A	2"	64																																																																																										
Model	Thread Size	S																																																																																										
AS-2.5	10-32UNF	8																																																																																										
AS-6	1/8"	11																																																																																										
AS-8	1/4"	14																																																																																										
AS-10	3/8"	17																																																																																										
AS-15	1/2"	22																																																																																										
AS-20	3/4"	27																																																																																										
AS-25	1"	34																																																																																										
AS-32	1-1/4"	43																																																																																										
AS-40	1-1/2"	51																																																																																										
Model	Thread Size	S																																																																																										
AAS-M5	M5	8																																																																																										
AAS-6	1/8"	12																																																																																										
AAS-8	1/4"	15																																																																																										
AAS-10	3/8"	19																																																																																										
AAS-15	1/2"	23																																																																																										
AAS-20	3/4"	30																																																																																										
AAS-25	1"	36																																																																																										
 <p>AB Type Muffler</p>	<table border="1"> <thead> <tr> <th>Model</th> <th>Thread Size</th> <th>S</th> </tr> </thead> <tbody> <tr><td>AB-6</td><td>1/8"</td><td>11</td></tr> <tr><td>AB-8</td><td>1/4"</td><td>14</td></tr> <tr><td>AB-10</td><td>3/8"</td><td>17</td></tr> <tr><td>AB-15</td><td>1/2"</td><td>22</td></tr> <tr><td>AB-20</td><td>3/4"</td><td>27</td></tr> <tr><td>AB-25</td><td>1"</td><td>33</td></tr> <tr><td>AB-32</td><td>1-1/4"</td><td>43</td></tr> <tr><td>AB-40</td><td>1-1/2"</td><td>51</td></tr> <tr><td>AB-50</td><td>2"</td><td>60</td></tr> </tbody> </table>	Model	Thread Size	S	AB-6	1/8"	11	AB-8	1/4"	14	AB-10	3/8"	17	AB-15	1/2"	22	AB-20	3/4"	27	AB-25	1"	33	AB-32	1-1/4"	43	AB-40	1-1/2"	51	AB-50	2"	60	 <p>AP Type PE Muffler</p>	<table border="1"> <thead> <tr> <th>Model</th> <th>Thread Size</th> </tr> </thead> <tbody> <tr><td>AP-6</td><td>1/8"</td></tr> <tr><td>AP-8</td><td>1/4"</td></tr> <tr><td>AP-10</td><td>3/8"</td></tr> <tr><td>AP-15</td><td>1/2"</td></tr> <tr><td>AP-20</td><td>3/4"</td></tr> <tr><td>AP-25</td><td>1"</td></tr> </tbody> </table>	Model	Thread Size	AP-6	1/8"	AP-8	1/4"	AP-10	3/8"	AP-15	1/2"	AP-20	3/4"	AP-25	1"	 <p>SET Type Muffler</p>	<table border="1"> <thead> <tr> <th>Model</th> <th>Thread Size</th> <th>S</th> </tr> </thead> <tbody> <tr><td>SET-7</td><td>1/8"</td><td>8</td></tr> <tr><td>SET-9.5</td><td>1/4"</td><td>10</td></tr> <tr><td>SET-12.5</td><td>3/8"</td><td>13</td></tr> <tr><td>SET-15.5</td><td>1/2"</td><td>15</td></tr> <tr><td>SET-22</td><td>3/4"</td><td>19</td></tr> <tr><td>SET-28</td><td>1"</td><td>24</td></tr> </tbody> </table>	Model	Thread Size	S	SET-7	1/8"	8	SET-9.5	1/4"	10	SET-12.5	3/8"	13	SET-15.5	1/2"	15	SET-22	3/4"	19	SET-28	1"	24																						
Model	Thread Size	S																																																																																										
AB-6	1/8"	11																																																																																										
AB-8	1/4"	14																																																																																										
AB-10	3/8"	17																																																																																										
AB-15	1/2"	22																																																																																										
AB-20	3/4"	27																																																																																										
AB-25	1"	33																																																																																										
AB-32	1-1/4"	43																																																																																										
AB-40	1-1/2"	51																																																																																										
AB-50	2"	60																																																																																										
Model	Thread Size																																																																																											
AP-6	1/8"																																																																																											
AP-8	1/4"																																																																																											
AP-10	3/8"																																																																																											
AP-15	1/2"																																																																																											
AP-20	3/4"																																																																																											
AP-25	1"																																																																																											
Model	Thread Size	S																																																																																										
SET-7	1/8"	8																																																																																										
SET-9.5	1/4"	10																																																																																										
SET-12.5	3/8"	13																																																																																										
SET-15.5	1/2"	15																																																																																										
SET-22	3/4"	19																																																																																										
SET-28	1"	24																																																																																										
 <p>V Type Muffler</p>	<table border="1"> <thead> <tr> <th>Model</th> <th>Thread Size</th> <th>S</th> </tr> </thead> <tbody> <tr><td>V-M5</td><td>M5</td><td>8</td></tr> <tr><td>V-6</td><td>1/8"</td><td>12</td></tr> <tr><td>V-8</td><td>1/4"</td><td>15</td></tr> <tr><td>V-10</td><td>3/8"</td><td>19</td></tr> <tr><td>V-15</td><td>1/2"</td><td>22</td></tr> <tr><td>V-20</td><td>3/4"</td><td>30</td></tr> <tr><td>V-25</td><td>1"</td><td>36</td></tr> </tbody> </table>	Model	Thread Size	S	V-M5	M5	8	V-6	1/8"	12	V-8	1/4"	15	V-10	3/8"	19	V-15	1/2"	22	V-20	3/4"	30	V-25	1"	36	 <p>VF Type Muffler</p>	<table border="1"> <thead> <tr> <th>Model</th> <th>Thread Size</th> <th>S</th> </tr> </thead> <tbody> <tr><td>VF-M5</td><td>M5</td><td>8</td></tr> <tr><td>VF-6</td><td>1/8"</td><td>13</td></tr> <tr><td>VF-8</td><td>1/4"</td><td>16</td></tr> <tr><td>VF-10</td><td>3/8"</td><td>19</td></tr> <tr><td>VF-15</td><td>1/2"</td><td>24</td></tr> </tbody> </table>	Model	Thread Size	S	VF-M5	M5	8	VF-6	1/8"	13	VF-8	1/4"	16	VF-10	3/8"	19	VF-15	1/2"	24	 <p>VS Type Muffler Steel with Nickle Plated</p>	<table border="1"> <thead> <tr> <th>Model</th> <th>Thread Size</th> <th>S</th> </tr> </thead> <tbody> <tr><td>VS-6</td><td>1/8"</td><td>11</td></tr> <tr><td>VS-8</td><td>1/4"</td><td>14</td></tr> <tr><td>VS-10</td><td>3/8"</td><td>17</td></tr> <tr><td>VS-15</td><td>1/2"</td><td>22</td></tr> <tr><td>VS-20</td><td>3/4"</td><td>27</td></tr> <tr><td>VS-25</td><td>1"</td><td>33</td></tr> <tr><td>VS-32</td><td>1-1/4"</td><td>43</td></tr> <tr><td>VS-40</td><td>1-1/2"</td><td>51</td></tr> </tbody> </table>	Model	Thread Size	S	VS-6	1/8"	11	VS-8	1/4"	14	VS-10	3/8"	17	VS-15	1/2"	22	VS-20	3/4"	27	VS-25	1"	33	VS-32	1-1/4"	43	VS-40	1-1/2"	51																		
Model	Thread Size	S																																																																																										
V-M5	M5	8																																																																																										
V-6	1/8"	12																																																																																										
V-8	1/4"	15																																																																																										
V-10	3/8"	19																																																																																										
V-15	1/2"	22																																																																																										
V-20	3/4"	30																																																																																										
V-25	1"	36																																																																																										
Model	Thread Size	S																																																																																										
VF-M5	M5	8																																																																																										
VF-6	1/8"	13																																																																																										
VF-8	1/4"	16																																																																																										
VF-10	3/8"	19																																																																																										
VF-15	1/2"	24																																																																																										
Model	Thread Size	S																																																																																										
VS-6	1/8"	11																																																																																										
VS-8	1/4"	14																																																																																										
VS-10	3/8"	17																																																																																										
VS-15	1/2"	22																																																																																										
VS-20	3/4"	27																																																																																										
VS-25	1"	33																																																																																										
VS-32	1-1/4"	43																																																																																										
VS-40	1-1/2"	51																																																																																										